STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	15G511	A. BUILDING _____ B. WING _____	R 08/17/2012

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
OPPORTUNITY ENTERPRISES INC	5949 FIESTA AVE PORTAGE, IN 46368

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
{W 000}	INITIAL COMMENTS This visit was a post certification revisit (PCR) to a fundamental recertification and state licensure survey conducted on June 6, 2012. Date of Survey: August 17, 2012 Facility number: 001025 Provider number: 15G511 AIM number: 100245170 Surveyor: Christine Colon, Medical Surveyor III/QMRP Opportunity Enterprises Inc., was found to be in compliance with 42 CFR, part 483, subpart I, and 460 IAC 9 in regard to the PCR for the recertification and state licensure survey. Quality review completed on August 23, 2012 by Dotty Walton, Medical Surveyor III.	{W 000}		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.